

Tender fee-Rs.100/-

## THE MEHAM CO-OPERATIVE SUGAR MILLS LTD., MEHAM

Tender form for \_\_\_\_\_

TENDER FORM-I

TECHNICAL BID

Name of the party: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

Details of following technical requirements:-

) EMD details worth	p.D.No. _____ Dated _____ Bank _____
) Copy of last year balance sheet or IT return.	
) Copies of repeat purchase orders from any two standard Sugar Mills.	
) Copy of certificates of satisfactory performance from the standard consumers.	
) Copy of Sales Tax Registration Certificate.	
) Mfg. Licence/Registration Certificate No.	
) Copy of appointment letter of the authorized distributor, if applicable.	

### Note: Detailed specifications & qty. are as per Fin.Bid/Tender Form.

Note:-

1. Copy of Balance Sheet or IT Return may be demanded in case of purchase above Rs.5.00 lacs to ascertain the business-worth of the supplier.
2. Mills may add any other documents considered necessary keeping in view the nature of the items to be purchased.

Signature of Tenderer/Authorised representative

Name of the representative:

Name of the Tenderer:

Address:

Contact No.

E.Mail:

# THE MEHAM COOP. SUGAR MILLS LTD., MEHAM

Last of date receipt of tender: 15.5.2012 at 1.00 P.M..

Negotiation date: 16.5.2012 at 11.00 A.M.

**Subject:- Tender Form for Re-shelling of mill rollers & TRF.**

**Name & Address of the party:**

---

---

**Ph. No.**

**Mobile No.**

**Fax No.**

---

S.No.	Description	Make	Qty.	Rate
1.	Reshelling of conventional mill rollers as per Drg. No. SMM-76R3 with grooving & shrink fitted juice rings, grinding & polishing of the shaft journals. Material as per IS:11201 with Test certificate of UT, MPI, hardness.		3 Nos.	
2.	Reshelling of Lotus rollers as per drg. No. SMM-76R3 with grooving & shrink fitted juice Rings, grinding & polishing of the shaft journals. Material as per IS:11201 with test certificate of UT,MPI, hardness.		2 Nos.	
3.	Machining of mill roller new shaft as per drg. Drg. No. SMM-3R.		1 No.	
4.	Shelling of new roller shaft as per drg. No. SMM-76R3 with grooving & shrink fitted Juice rings as per IS:11201 with test certificate.		2 Nos.	
5.	Deshelling of existing GUFRR & shelling as TUFRR <b>Specifications:</b> Toothed (Lotus) Perforated Roller Feeder(TRF) with scrapper plate, tie rods. The shell to be made of carbon steel plates as per IS:2062 having thickness 25mm & after machining the shell thickness should not be less than 20mm. The shell OD=800MM, OD including teeth tips=905mm & Shell length=1700mm. The teeth to be 20mm thk. Of forged EN-9 steel. The drainage holes to be Counter shunk type perforated in the shell their Qty. & size to be 1250 Nos. min. size 10/72mm (top/bottom), working surface of scrapper shall be S.S. lined for frictionless passage to dense/drier Bagasse mat. Scrapper teeth, roller tips & shell Portion without holes should be hard faced for other Dimensions refer our drg.		1 No.	
6.	Deshelling & reshelling of TUFRR. <b>Specifications:</b> Toothed (Lotus) Perforated Roller Feeder(TRF)			1 No.

with scrapper plate, tie rods. The shell to be made of carbon steel plates as per IS:2062 having thickness 25mm & after machining the shell thickness should not be less than 20mm. The shell OD=800MM, OD including teeth tips=905mm & Shell length=1700mm. The teeth to be 20mm thk. Of forged EN-9 steel. The drainage holes to be Counter shunk type perforated in the shell their Qty. & size to be 1250 Nos. min. size 10/72mm (top/bottom), working surface of scrapper shall be S.S. lined for frictionless passage to dense/drier Bagasse mat. Scrapper teeth, roller tips & shell Portion without holes should be hard faced for other Dimensions refer our drg.

**A. Technical Eligibility.**

Tenderer should attach copy/copies of;

1. Repeat orders of latest supply of its product to atleast two standard Sugar Mills or any standard Heavy Industrial Organizations where similar machinery/product are being used during the last three years.
  2. If repeat orders have not been placed by such Mills, then the supplier must submit the certificate of satisfactory and good performance of its machinery/equipments from such purchaser organization.
- B. Committee reserves the right to verify such certificates before finalizing the rate contract with any supplier in case of any doubts about his eligibility.
- C. Tenderers shall submit the following certificates alongwith technical bid:
- a) Details of EMD.
  - b) Copy of last year balance sheet of IT Return.
  - c) Copies of repeat purchase orders from any two standard Sugar Mills.
  - d) Copies of certificates of satisfactory performance from the standard consumers.
  - e) Copy of Sale Tax Registration Certificate.
  - f) Mfg. License/Registration Certificate No.
  - g) Copy of appointment letter of the authorized distributor, if applicable.
1. Delivery time:-

Signature of the supplier

Managing Director

# TENDER FORM FOR QUOTED RATE FOR THE SUPPLY OF

## TENDER FORM-II

### FINANCIAL BID

Name of the party : -----

Address : -----  
-----

Phone No.-----Fax No.-----

E-Mail : -----

### DECLARATION

Certificated that we have gone through the tender documents and I/we accept all the terms & conditions specified therein unconditionally. Accordingly, I/we submit my/our tendered rates as under:-

**Name of the item: Detailed specifications & qty. are as per Tender form..**

<b>Sr.No.</b>	<b>Particulars</b>	<b>Rates</b>
1.	Basic rate (FOR)	
2.	Excise duty @----- (if applicable for Modvat)	
3.	Cess @----- (if applicable)	
4.	CST/VAT @ -----	
5.	Service Tax----- (if applicable)	
6.	Total (FOR Sugar Mills)	

**Signature of Tenderer/Authorised representative**

**Name of the representative:**

**Name of the Tenderer :**

**Address :**

**Contact No.**

**E-Mail:**

**Tender Fee Rs. 100/-**

**THE MEHAM COOP. SUGAR MILLS LTD., MEHAM**

Last of date receipt of tender: 15.5.2012 at 1.00 P.M..

Negotiation date: 16.5.2012 at 11.00 A.M.

**Subject:- Tender Form for Re-shelling of mill rollers & TRF.**

**Name & Address of the party:**

**Ph. No. Mobile No. Fax No.**

S.No.	Description	Make	Qty.	Rate
1.	Reshelling of conventional mill rollers as per Drg. No. SMM-76R3 with grooving & shrink fitted juice rings, grinding & polishing of the shaft journals. Material as per IS:11201 with Test certificate of UT, MPI, hardness.		3 Nos.	
2.	Reshelling of Lotus rollers as per drg. No. SMM-76R3 with grooving & shrink fitted juice Rings, grinding & polishing of the shaft journals. Material as per IS:11201 with test certificate of UT,MPI, hardness.		2 Nos.	
3.	Machining of mill roller new shaft as per drg. Drg. No. SMM-3R.		1 No.	
4.	Shelling of new roller shaft as per drg. No. SMM-76R3 with grooving & shrink fitted Juice rings as per IS:11201 with test certificate.		2 Nos.	
5.	Deshelling of existing GUF R & shelling as TUF R		1 No.	

**Specifications:**

Toothed (Lotus) Perforated Roller Feeder(TRF) with scrapper plate, tie rods. The shell to be made of carbon steel plates as per IS:2062 having thickness 25mm & after machining the shell thickness should not be less than 20mm. The shell OD=800MM, OD including teeth tips=905mm & Shell length=1700mm. The teeth to be 20mm thk. Of forged EN-9 steel. The drainage holes to be Counter shunk type perforated in the shell their Qty. & size to be 1250 Nos. min. size 10/72mm (top/bottom), working surface of scrapper shall be S.S. lined for frictionless passage to dense/drier Bagasse mat. Scrapper teeth, roller tips & shell Portion without holes should be hard faced for other Dimensions refer our drg.

7. Deshelling & reshelling of TUF R.

**Specifications:**

Toothed (Lotus) Perforated Roller Feeder(TRF) with scrapper plate, tie rods. The shell to be made of carbon steel plates as per IS:2062 having thickness 25mm & after machining the shell thickness should not be less than 20mm. The shell OD=800MM, OD including teeth tips=905mm & Shell length=1700mm. The teeth to be 20mm thk. of forged EN-9 steel. The drainage holes to be Counter sunk type perforated in the shell their Qty. & size to be 1250 Nos. min. size 10/72mm (top/bottom), working surface of scrapper shall be S.S. lined for frictionless passage to dense/drier Bagasse mat. Scrapper teeth, roller tips & shell Portion without holes should be hard faced for other Dimensions refer our drg.

1 No.

**A. Technical Eligibility.**

Tenderer should attach copy/copies of;

2. Repeat orders of latest supply of its product to atleast two standard Sugar Mills or any standard Heavy Industrial Organizations where similar machinery/product are being used during the last three years.
2. If repeat orders have not been placed by such Mills, then the supplier must submit the certificate of satisfactory and good performance of its machinery/equipments from such purchaser organization.
- B. Committee reserves the right to verify such certificates before finalizing the rate contract with any supplier in case of any doubts about his eligibility.
- C. Tenderers shall submit the following certificates alongwith technical bid:
  - a) Details of EMD.
  - b) Copy of last year balance sheet of IT Return.
  - c) Copies of repeat purchase orders from any two standard Sugar Mills.
  - d) Copies of certificates of satisfactory performance from the standard consumers.
  - e) Copy of Sale Tax Registration Certificate.
  - f) Mfg. License/Registration Certificate No.
  - h) Copy of appointment letter of the authorized distributor, if applicable.
2. Delivery time:-

**B. Specifications of the Material**

As mentioned above.

**C. Mode & Schedule of payment**

- a) Payment will be decided at the time of negotiation..

**D. Financial terms & conditions**

- a) The earnest money of the tenderers will be forfeited to Sugar Mills account if they withdraw their offer/rates or modify the terms & conditions of the tender during the validity of their offer. After acceptance of their offer, if any party does not execute the agreement as per terms & conditions of the order, the party shall be delisted/debarred for future dealings and their earnest money/security amount shall be forfeited.

- b) **Parties are requested to exercise their choice to quote special cash discount for payments within a week of the supply.**
- c) **“Supplier shall be entitled to a claim @ 12% p.a. interest if the due payment is delayed beyond 15 days of the prescribed/agreed time without any prior intimation of valid reasons by the Management.**

d) **Price Fall Clause**

The tenderer shall furnish a certificate in their offer that the rates quoted by them are the lowest possible which they have quoted to any of their consumers during the currency of the contract period. However, if they ever feel constrained to quote lower rates to any of their customer during the said period, they undertake to intimate the same immediately to the Sugarfed/particular Sugar Mills and allow the same reduction in rates automatically. If they violate this undertaking and the Sugarfed/particular Sugar Mills come to know of such reduction on their own/through their own resources, then the Sugarfed/its Sugar Mills shall be entitled to recover the double the difference in such rates on the entire quantity purchase alongwith cost and damages from supplier.

f) **Dispatch Delivery Conditions**

- i) F.O.R. - Sugar Mills, Meham
- ii) Packing & Forwarding - Nil
- iii) Delivery period -

g) **Taxes & Duties**

- i) Rate of VAT/CST :
- ii) Rate of Excise Duty

**D. General Conditions**

- i) All the documents to be submitted by the tenderers with their offer should be duly authenticated by some responsible authority in case the same are copies of original documents.
- ii) The tenderer shall furnish a certificate in their offer that the rates quoted by them are the lowest possible which they have quoted to any of their customers during the currency of the contract period. However, if they ever feel constrained to quote lower rates to any of their customer during the said period, they undertake to intimate the same immediately to the particular sugar mills and allow the same reduction in rates automatically. If they violate this undertaking and the particular sugar mills comes to know of such reduction on their own/through their own resources, then the sugar mills shall be entitled to recover, double the difference in such rates.

**E. PUNITIVE PROVISIONS/LEGAL CONDITIONS**

- 5. The supplier will be responsible for any late irregular and non-supply of the material(s) to the mills. In that event the Sugar Mills will arrange the material from the market at the risk & cost of the supplier and the supplier will be responsible for all the losses suffered by the Mills on this account.

**F. SUBMISSION OF TENDERS**

6. The tender form shall be in two parts i.e. Technical Bid and Financial Bid. Both bids shall be submitted in separate covers/envelopes with a submission fee of Rs. 100/-. Technical Bid will be opened first. Earnest money for Rs.----- in the form of Demand Draft shall be submitted with the Technical Bid. The proforma for both bids are given in Tender Form-I and Tender Form-II respectively. Sealed tender should reach in this office latest by 15.5.2012 at 1.00 P.M.
7. The MD/Management reserves the rights to accept or reject the tender without assigning any reason.
8. The Technical bid will be opened by a committee constituted for the purpose on 15.5.2012 at 2.00 p.m. in the presence of the interested parties and financial bid will be opened on 16.5.2012 at 11.00 A.M. and negotiation will be held on the same day in the office of MANAGING DIRECTOR, THE MEHAM COOP. SUGAR MILLS LTD., MEHAM.

**Signature of Tenderer/Authorised representative**

**Name of the representative:**

**Name of the Tenderer :**

**Address :**

**Contact No.**

**E-Mail:**